

Table of contents

- 1 Introduction 13**
 - 1.1 Early phase 13
 - 1.2 Serial development 14

- 2 From design section up to component 17**
 - 2.1 Introduction 17
 - 2.2 The concept level 19
 - 2.3 The component level 21
 - 2.4 The co-operation between the levels 23
 - 2.5 The impact of the levels on data storage 25
 - 2.6 The impact of the levels on designers 27

- 3 Class A-surface 29**
 - 3.1 Introduction 29
 - 3.2 The Class A-surface related component design process . . . 32
 - 3.3 Contents of Class A-surfaces 36
 - 3.4 Conventions for the contents of Class A-surfaces 39

- 4 The concept work 43**
 - 4.1 Introduction 43
 - 4.2 Methods and working environment in the concept work . . 45
 - 4.3 The standard or repeated standard section 51
 - 4.4 The concept section. 65
 - 4.5 The design section 73
 - 4.6 Standard and repetition parts 104

4.7 Engineering data in the concept work	112
4.8 Passing on of concept data	117
4.9 The further usage of concept data	123
5 The adapter model	127
5.1 Introduction.	127
5.2 Definition	129
5.3 The properties of adapter models	130
5.4 Mode of operation of adapter models	137
5.5 Storing adapter models	141
5.6 Link creation with adapter models.	146
5.7 Creation of adapter models	152
5.8 Releasing adapter models	154
5.9 Data exchange of adapter models	156
5.10 Adapter model as design buffer for CLASS A-surfaces . .	157
6 The component design	161
6.1 Introduction.	161
6.2 Definition	162
6.3 The structure of a CATPart	163
6.4 Design method	179
6.5 CLASS A-surface depending component design	182
7 The component assembly.	201
7.1 Introduction.	201
7.2 Definition	202
7.3 The workbench „Assembly“	204

7.4 Assembly applications.	206
7.5 The use of a component assembly as design tree.	215
7.6 The use of an assembly as quantity structure	225
7.7 Creation of assembly drawings	227
8 Bibliography	231
Glossary	233
Index	235